

PRILOGA 1

XSD-oblika UPPD-OBRAZCA

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns="http://uppd.gov.si/shema/porocilo" xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:vc="http://www.w3.org/2007/XMLSchema-versioning"
  targetNamespace="http://uppd.gov.si/shema/porocilo" elementFormDefault="qualified"
  attributeFormDefault="unqualified" vc:minVersion="1.1">
  <xs:element name="UPPDObrazec" type="UPPDobrazecType"/>
  <xs:complexType name="UPPDobrazecType">
    <xs:all>
      <xs:element name="ID" type="xs:string"/>
      <xs:element name="Tip">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:minLength value="1"/>
            <xs:maxLength value="1"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="ReferencaUPPD" type="xs:string" minOccurs="0"/>
      <xs:element name="Cas" type="xs:dateTime"/>
      <xs:element name="Osebe" minOccurs="0">
        <xs:complexType>
          <xs:sequence minOccurs="0" maxOccurs="unbounded">
            <xs:element name="Oseba" type="OsebaType"
minOccurs="0" maxOccurs="unbounded"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="Razmerja" minOccurs="0">
        <xs:complexType>
          <xs:sequence minOccurs="0" maxOccurs="unbounded">
            <xs:element name="PoslovnoRazmerje"
type="PoslovnoRazmerjeType" minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="PovezanaOseba"
type="PovezanaOsebaType" minOccurs="0" maxOccurs="unbounded"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="Dogodki" minOccurs="0">
        <xs:complexType>
          <xs:sequence minOccurs="0" maxOccurs="unbounded">
            <xs:element name="Dogodek" type="DogodekType"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="Transakcija" type="TransakcijaType"
minOccurs="0" maxOccurs="unbounded"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="Prijava" type="PrijavaType" minOccurs="0"/>
      <xs:element name="Priloge" minOccurs="0">
        <xs:complexType>
          <xs:sequence maxOccurs="unbounded">
            <xs:element name="Priloga" type="PrilogaType"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
  <xs:complexType name="PrilogaType">
    <xs:all>
```

```
<xs:element name="ID" type="xs:string"/>
<xs:element name="Tip" type="xs:string"/>
<xs:element name="Opis" type="xs:string"/>
<xs:element name="Vsebina" type="xs:base64Binary"/>
</xs:all>
</xs:complexType>
<xs:complexType name="PrijavaType">
<xs:all>
<xs:element name="OpisSuma" type="xs:string"/>
<xs:element name="IndikatorjiSumljivosti">
<xs:complexType>
<xs:sequence>
<xs:element name="Indikator" maxOccurs="unbounded">
<xs:complexType>
<xs:simpleContent>
<xs:extension base="xs:string">
<xs:attribute name="sifrant" type="xs:string"/>
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
<xs:complexType name="OsebaType">
<xs:all>
<xs:element name="ID" type="xs:string"/>
<xs:element name="Tip" type="xs:string"/>
<xs:element name="Naziv" type="xs:string"/>
<xs:element name="Ime" type="xs:string" minOccurs="0"/>
<xs:element name="Priimek" type="xs:string" minOccurs="0"/>
<xs:element name="Slika" type="xs:string" minOccurs="0"/>
<xs:element name="Opis" type="xs:string" minOccurs="0"/>
<xs:element name="Drugeljubljivosti" type="xs:string" minOccurs="0"/>
<xs:element name="Drzavljanstvo" type="xs:string" minOccurs="0"/>
<xs:element name="DatumRojstva" type="xs:date" minOccurs="0"/>
<xs:element name="KrajRojstva" type="xs:string" minOccurs="0"/>
<xs:element name="DrzavaRojstva" type="xs:string" minOccurs="0"/>
<xs:element name="DrugaDokumentacija" type="xs:string" minOccurs="0"/>
<xs:element name="Naslovi" minOccurs="0">
<xs:complexType>
<xs:sequence minOccurs="0" maxOccurs="unbounded">
<xs:element name="Naslov" minOccurs="0" maxOccurs="unbounded">
maxOccurs="unbounded">
<xs:complexType>
<xs:all>
<xs:element name="Tip" type="xs:string"/>
<xs:element name="Naslov1" type="xs:string" minOccurs="0" maxOccurs="unbounded">
<xs:element name="Naslov2" type="xs:string" minOccurs="0" maxOccurs="unbounded">
<xs:element name="Posta" type="xs:string" minOccurs="0" maxOccurs="unbounded">
<xs:element name="Kraj" type="xs:string" minOccurs="0" maxOccurs="unbounded">
<xs:element name="Drzava" type="xs:string" minOccurs="0" maxOccurs="unbounded">
<xs:element name="Priloge" type="xs:string" minOccurs="0" maxOccurs="unbounded">
```

```

                </xs:all>
            </xs:complexType>
        </xs:element>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Dokumenti" minOccurs="0">
    <xs:complexType>
        <xs:sequence minOccurs="0" maxOccurs="unbounded">
            <xs:element name="Dokument" minOccurs="0"
maxOccurs="unbounded">
                <xs:complexType>
                    <xs:all>
                        <xs:element name="Tip"
type="xs:string"/>
                        <xs:element name="TipOpisno"
type="xs:string" minOccurs="0"/>
                        <xs:element name="Izdajatelj"
minOccurs="0"/>
                        <xs:element name="Stevilka"
type="xs:string" minOccurs="0"/>
                        <xs:element name="Izdan"
type="xs:date" minOccurs="0"/>
                        <xs:element name="VeljavenDo"
type="xs:date" minOccurs="0"/>
                        <xs:element
name="Drzavalzdzajatelja" type="xs:string" minOccurs="0"/>
                        <xs:element name="Priloge"
type="xs:string" minOccurs="0"/>
                    </xs:all>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="KontaktnaInformacija" minOccurs="0">
    <xs:complexType>
        <xs:sequence minOccurs="0" maxOccurs="unbounded">
            <xs:element name="Kontakt" minOccurs="0"
maxOccurs="unbounded">
                <xs:complexType>
                    <xs:all>
                        <xs:element name="Tip"
type="xs:string"/>
                        <xs:element name="TipOpisno"
type="xs:string" minOccurs="0"/>
                        <xs:element name="DatumUporabe"
type="xs:date" minOccurs="0"/>
                        <xs:element name="Vrednost"
type="xs:string"/>
                        <xs:element name="Priloge"
type="xs:string" minOccurs="0"/>
                    </xs:all>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="Identifikatorji" minOccurs="0">
    <xs:complexType>
        <xs:sequence minOccurs="0" maxOccurs="unbounded">
            <xs:element name="Identifikator" minOccurs="0"
maxOccurs="unbounded">

```

```
<xs:complexType>
  <xs:all>
    <xs:element name="Tip"
      type="xs:string"/>
    <xs:element name="TipOpisno"
      type="xs:string" minOccurs="0"/>
    <xs:element name="Vrednost"
      type="xs:string"/>
    <xs:element name="Prilog"
      type="xs:string" minOccurs="0"/>
  </xs:all>
</xs:complexType>
<xs:complexType name="PovezanaOsebaType">
  <xs:all>
    <xs:element name="Tip" type="xs:string"/>
    <xs:element name="TipOpisno" type="xs:string" minOccurs="0"/>
    <xs:element name="IDOsebeA" type="xs:string"/>
    <xs:element name="IDOsebeB" type="xs:string"/>
    <xs:element name="DatumVzpostavitev" type="xs:date" minOccurs="0"/>
    <xs:element name="DatumPrenehanja" type="xs:date" minOccurs="0"/>
    <xs:element name="Prilog" type="xs:string" minOccurs="0"/>
  </xs:all>
</xs:complexType>
<xs:complexType name="PoslovnoRazmerjeType">
  <xs:all>
    <xs:element name="ID" type="xs:string"/>
    <xs:element name="Tip" type="xs:string"/>
    <xs:element name="TipOpisno" type="xs:string" minOccurs="0"/>
    <xs:element name="IDOsebeA" type="xs:string"/>
    <xs:element name="IDOsebeB" type="xs:string"/>
    <xs:element name="DatumVzpostavitev" type="xs:date" minOccurs="0"/>
    <xs:element name="DatumPrenehanja" type="xs:date" minOccurs="0"/>
    <xs:element name="DatumVrednotenja" type="xs:date" minOccurs="0"/>
    <xs:element name="VrednostRazmerja" type="xs:string" minOccurs="0"/>
    <xs:element name="TipVrednosti" type="xs:string" minOccurs="0"/>
    <xs:element name="Sklenjeno" type="xs:string" minOccurs="0"/>
    <xs:element name="KYC" type="xs:string" minOccurs="0"/>
    <xs:element name="Identifikator" type="xs:string" minOccurs="0"/>
    <xs:element name="TipIdentifikatorja" type="xs:string" minOccurs="0"/>
    <xs:element name="Izpisek" minOccurs="0"/>
  </xs:all>
  <xs:complexType>
    <xs:sequence minOccurs="0" maxOccurs="unbounded">
      <xs:element name="Stanje" minOccurs="0"
        maxOccurs="unbounded">
        <xs:complexType>
          <xs:all>
            <xs:element name="Cas"
              type="xs:dateTime"/>
            <xs:element name="Vrednost"
              type="xs:decimal"/>
            <xs:element name="Valuta"
              type="xs:string"/>
            <xs:element name="Tip"
              type="xs:string"/>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

```

        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="Razmerja" minOccurs="0">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="PoslovnoRazmerje"
type="PoslovnoRazmerjeType" minOccurs="0" maxOccurs="unbounded"/>
                <xs:element name="PovezanaOseba"
type="PovezanaOsebaType" minOccurs="0" maxOccurs="unbounded"/>
                    <xs:sequence>
                        <xs:complexType>
                            </xs:sequence>
                        </xs:complexType>
                    </xs:element>
                    <xs:element name="Priloge" type="xs:string" minOccurs="0"/>
                </xs:all>
            </xs:complexType>
<xs:complexType name="DogodekType">
    <xs:all>
        <xs:element name="Cas" type="xs:dateTime"/>
        <xs:element name="Tip" type="xs:string"/>
        <xs:element name="TipOpisno" type="xs:string" minOccurs="0"/>
        <xs:element name="IDRazmerja" type="xs:string" minOccurs="0"/>
        <xs:element name="IDosebeA" type="xs:string" minOccurs="0"/>
        <xs:element name="IDosebeB" type="xs:string" minOccurs="0"/>
        <xs:element name="Opis" type="xs:string" minOccurs="0"/>
        <xs:element name="Priloge" type="xs:string" minOccurs="0"/>
    </xs:all>
</xs:complexType>
<xs:complexType name="TransakcijaType">
    <xs:all>
        <xs:element name="ID" type="xs:string"/>
        <xs:element name="Cas" type="xs:dateTime"/>
        <xs:element name="Status" type="xs:string"/>
        <xs:element name="OpisStatus" type="xs:string" minOccurs="0"/>
        <xs:element name="ZnesekVbreme" type="xs:decimal" minOccurs="0"/>
        <xs:element name="ValutaVbreme" type="xs:string" minOccurs="0"/>
        <xs:element name="RazmerjeVbreme" type="xs:string" minOccurs="0"/>
        <xs:element name="StanjeVbreme" type="xs:decimal" minOccurs="0"/>
        <xs:element name="VirVbreme" type="xs:string" minOccurs="0"/>
        <xs:element name="ZnesekVdobro" type="xs:decimal" minOccurs="0"/>
        <xs:element name="ValutaVdobro" type="xs:string" minOccurs="0"/>
        <xs:element name="RazmerjeVdobro" type="xs:string" minOccurs="0"/>
        <xs:element name="StanjeVdobro" type="xs:decimal" minOccurs="0"/>
        <xs:element name="CiljVdobro" type="xs:string" minOccurs="0"/>
        <xs:element name="DrzavaVdobro" type="xs:string" minOccurs="0"/>
        <xs:element name="NamenTransakcije" type="xs:string" minOccurs="0"/>
        <xs:element name="IP" type="xs:string" minOccurs="0"/>
        <xs:element name="Izvor" type="xs:string" minOccurs="0"/>
        <xs:element name="RazlogiSum" type="xs:string" minOccurs="0"/>
        <xs:element name="Priloge" type="xs:string" minOccurs="0"/>
        <xs:element name="Udelezenci" minOccurs="0">
            <xs:complexType>
                <xs:sequence minOccurs="0" maxOccurs="unbounded">
                    <xs:element name="Udelezenec" minOccurs="0"
maxOccurs="unbounded">
                        <xs:complexType>
                            <xs:all>
                                <xs:element name="IDOsebe"
type="xs:string"/>
                                <xs:element name="Vloga"
type="xs:string"/>
                                <xs:element name="VlogaOpisno"
type="xs:string" minOccurs="0"/>
                            </xs:all>
                        </xs:complexType>
                    </xs:element>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    </xs:all>
</xs:complexType>

```

```
</xs:all>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:schema>
```

XSD-POVRATNICA

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns="http://uppd.gov.si/shema/povratnica"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:vc="http://www.w3.org/2007/XMLSchema-versioning"
  targetNamespace="http://uppd.gov.si/shema/povratnica"
  elementFormDefault="qualified" attributeFormDefault="unqualified"
  vc:minVersion="1.1">
  <xs:element name="UPPDpovratnica">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="IDobrazca" type="xs:string"/>
        <xs:element name="Cas" type="xs:dateTime"/>
        <xs:element name="Status" type="xs:string"/>
        <xs:element name="OpisNapake" type="xs:string" minOccurs="0"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:schema>
```

XSD-ZAHTEVA ZAVEZANCU

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- edited with XMLSpy v2017 sp2 (x64) (http://www.altova.com) by Owca (Owca ltd.) -->
<xs:schema xmlns="http://uppd.gov.si/shema/zahteva" xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:vc="http://www.w3.org/2007/XMLSchema-versioning"
  targetNamespace="http://uppd.gov.si/shema/zahteva" elementFormDefault="qualified"
  attributeFormDefault="unqualified" vc:minVersion="1.1">
  <xs:element name="UPPDzahteva">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="IDzahteve" type="xs:string"/>
        <xs:element name="Cas" type="xs:dateTime"/>
        <xs:element name="Oseba">
          <xs:complexType>
            <xs:sequence>
              <xs:element name="Ime" type="xs:string" minOccurs="0"/>
              <xs:element name="Priimek" type="xs:string" minOccurs="0"/>
              <xs:element name="DatumRojstva" type="xs:date" minOccurs="0"/>
              <xs:element name="KrajRojstva" type="xs:string" minOccurs="0"/>
              <xs:element name="Naziv" type="xs:string" minOccurs="0"/>
              <xs:element name="EMSO" type="xs:string" minOccurs="0"/>
              <xs:element name="DavcnaSt" type="xs:string" minOccurs="0"/>
              <xs:element name="MaticnaSt" type="xs:string" minOccurs="0"/>
              <xs:element name="TRR" type="xs:string" minOccurs="0">
                <xs:annotation>
                  <xs:documentation>TRR v IBAN obliku</xs:documentation>
                  </xs:annotation>
                </xs:element>
              </xs:sequence>
            </xs:complexType>
          </xs:element>
          <xs:element name="Zahteva">
            <xs:complexType>
              <xs:sequence>
                <xs:element name="ObdobjeOd" type="xs:date"/>
                <xs:element name="ObdobjeDo" type="xs:date"/>
                <xs:element name="PodatkiORazmerjih" type="xs:boolean"/>
                <xs:element name="OtvoritvenaDokumentacija" type="xs:boolean"/>
                <xs:element name="KnjigovodskaKartica" type="xs:boolean"/>
                <xs:element name="DokumentacijaSef" type="xs:boolean"/>
                <xs:element name="PlacilneKartice" type="xs:boolean"/>
                <xs:element name="WUinMGnalogi" type="xs:boolean"/>
                <xs:element name="Spremljava" type="xs:boolean"/>
              </xs:sequence>
            </xs:complexType>
          </xs:element>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:schema>
```

```
name="Blokada" type="xs:boolean"/>
type="xs:boolean"/>
<xs:element
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Drugo">
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="Dokument" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
</xs:schema>
```